



**Waxman Ceramics**



# PORTMAN

Glazed Porcelain Tiles

Anti-Slip



# COLOURS




**Almond Anti-Slip**  
32x62.5cm

④ A



**Almond Anti-Slip Step Edge\***  
32x62.5cm  
\* Step Edge to order only

④ A




**Arena Anti-Slip**  
32x62.5cm

④ A



**Arena Anti-Slip Step Edge\***  
32x62.5cm  
\* Step Edge to order only

④ A





Thickness



A = Anti-Slip

Slip Resistance		
	R11	+36
	C	+36

# COLOURS



**Anthracita Anti-Slip**  
32x62.5cm

3 A



**Anthracita Anti-Slip Step Edge\***  
32x62.5cm  
\* Step Edge to order only

3 A

Thickness



A = Anti-Slip

Slip Resistance		
	R11	+36
	C	+36



Gris - 32x62.5cm

# SPECIFICATION & PACKING

## Glazed Porcelain Tiles

Suitability	Thickness	Walls		Floors		Frostproof	Colour Variation
		Internal	External	Internal	External		
32x62.5cm	9mm	✓	✓	✓	✓	Yes	V3

Packing	Pcs / ctn	M <sup>2</sup> / Ctn	Kg / Ctn	Ctns / Pallet	M <sup>2</sup> / Pallet
32x62.5cm	5	1	20.77	48	48.00

# Waxman Ceramics

---

**Head Office**                      **01422 311331**

Grove Mills  
Elland  
West Yorkshire  
HX5 9DZ  
England

Email            [info@waxmanceramics.co.uk](mailto:info@waxmanceramics.co.uk)  
Web              [www.waxmanceramics.co.uk](http://www.waxmanceramics.co.uk)

**Waxman Ceramics Ltd - Part of the Waxman Group**

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.

REF: 20/08