

STARK

Porcelain Tiles



STARK Porcelain Tiles



4

White 30x60cm Rectified



Grey 30x60cm Rectified




Pure Grey 4 30x60cm Rectified



4 Graphite 30x60cm Rectified



STARK Porcelain Tiles



White 60x60cm Rectified



Grey 60x60cm Rectified

4



Pure Grey 60x60cm Rectified



Graphite 60x60cm Rectified 4



Slip Resistance						
	R10	+36				
<i>~</i>						

4





Porcelain Tiles STARK

SPECIFICATION AND PACKING

Suitability	Thickness	Walls		Floors		F	Colour Variation
		Internal	External	Internal	External	Frostproof	Colour Variation
30x60cm Rectified	7mm	1	1	1		Yes	V2
60x60cm Rectified	8mm	/	1	1		Yes	V2

Packing	Pcs / ctn	M² / Ctn	Kg / Ctn	n Ctns / Pallet	M² / Pallet
30x60cm Rectified	9	1.62	23.7	40	64.8
60x60cm Rectified	5	1.8	30	30	54

Waxman Ceramics

Head Office 01422 311331

Grove Mills Elland West Yorkshire HX5 9DZ England

Email info@waxmanceramics.co.uk Web www.waxmanceramics.co.uk

Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.